




# Master Product Index

▶ Catalogue number  
Ordering Information

**A** FM7™, FORM 35®, FORM 85®, Mogul and Big-Bend™ Fittings 

**B** FS and FD Boxes 


**C** Cast Junction Boxes 

**D** Plugs, Receptacles and Decontactors 

**E** Fixture Hangers 

**F** Lighting for Hazardous and Wet Locations 


**G** Explosion-Proof Lighting 

**H** Explosion-Proof Fixture Hangers 

**I** Explosion-Proof Unions, Seals and Flexible Couplings 

**J** Explosion-Proof Junction Boxes 

**K** Explosion-Proof Plugs and Receptacles 


**M** Conveyor Controls 

**N** Explosion-Proof Switches, Pilots and Control Stations 


**O** Custom Engineered Products 

**P** Explosion-Proof Panelboards 

**Q** Explosion-Proof Breakers and Starters 

**R** Industrial Lighting 

**T** Floodlighting 

**U** Poles, Brackets and Accessories 

**V** Reelites® Extension Cord Cable Reels 

## Electrical Safety Products

**MG** McGill Electrical Safety Products 

## Roughing-In Products ▶ Rough-In Catalogue number Ordering Information

**BC** Box Connectors: Roughing-In 

**CC** Cable Connectors: Roughing-In 

**CF** Conduit Fittings: Roughing-In 

**CH** Conduit Hangers: Roughing-In 

**ST** Sealtite Connectors JIC and Pull Boxes: Roughing-In 

# Product Index – A & A1



**FM7™, FORM 35®,  
FORM 85®, Mogul and  
Big-Bend™ Fittings**



A full range of LB, LL, LR, T, E, & X fittings. From 1/2" through 6" in regular and large body sizes. Available in Grayloy™, malleable or aluminum.



**FM™, FORM 35®,  
FORM 85 and MOGUL**

**1-11**

**Fittings - For Rigid Threaded Conduit**  
FM™, FORM 35®, FORM 85 and MOGUL.  
Features, technical data, dimensions etc.

**12-13**

**Curlee Big-Bend™ Pulling Elbows**  
Features, technical data, dimensions etc.



**FM8™ and FM9™**

**1-4**

**FM8™ Unilet® Conduit Outlet Bodies**  
For use with rigid steel and IMC conduit  
Features, technical data, dimensions etc.

**5-7**

**FM9™ Aluminum Unilet®  
Conduit Outlet Bodies**  
For use with rigid steel, rigid aluminum and  
IMC conduit  
Features, technical data, dimensions etc.

**B****FS and FD Boxes**

Fittings in malleable iron and aluminum; with cast hubs. Also available with blank bodies for drilling, tapping or for braised hubs.

**1-20****FS and FD Cast Device Boxes:  
Malleable Iron, Aluminum**

Unilets for use with threaded rigid conduit and IMC.

Features, technical data, dimensions and accessories.

# Product Index – C



## Cast Junction Boxes



Enclosed and gasketed junction boxes in ferrous alloy, aluminum and nonmetallic models.

1-26

### Cast Junction Boxes Ferrous Alloy and Aluminum Enclosures

Features, technical data, dimensions and accessories etc.

27-29

### WBS or WDS Series Disconnect Switch

Applications, ordering information and dimensions.

# Product Index – D, D2



## Plugs, Receptacles and Decontactors



Weatherproof and rain-tight pin and sleeve plugs, receptacles, interlocked receptacles, connectors and decontactors.

1-36

## Pin & Sleeve Receptacles, Plugs & Connectors

Powerlite: Features, technical data, mounting boxes, replacement interiors, dimensions, PTA Powerlite Adaptors, interchangeable equivalents, IBR, IDSR & WSRD Interlocked Receptacles.



## Pin & Sleeve Products

1-9

## IEC Pin & Sleeve International Standard 309

Features, accessories, technical data & ordering information



## Fixture Hangers



1-14

### Flexible Fixture hangers

Features, technical data, dimensions, installations and accessories etc.

A full range of rigid and flexible fixture hangers, hooks, loops, power hooks, ball and cushion hangers.

# Product Index – F1, F2, F3 & F5

**F**
**Lighting for Hazardous  
and Wet Locations**
**F1**
**HID & Compact Fluorescent  
– Enclosed & Gasketed**
**1-12**
**Mercmaster III – 400**

High Pressure Sodium, Metal Halide &amp; Mercury Vapour lamps. Technical data, dimensions, accessories etc.

**27-32A**
**Stylmaster 'C'**

Technical data, dimensions, accessories etc.

**33-48**
**Mercmaster III**

High Pressure Sodium, Metal Halide &amp; Mercury Vapour lamps. Technical data, dimensions, accessories etc.

**51-66**
**Mercmaster III – Low Profile**

For Medium Base High Pressure Sodium, Metal Halide &amp; Mercury Vapour lamps. Technical data, dimensions, accessories etc.

**83**
**Division 2 Photocell**

For use with lighting in Hazardous &amp; Wet Locations.

**F2**
**Incandescent Lighting  
– Enclosed & Gasketed**
**1-11**
**Stylmaster 'C'**

Features, accessories, technical data, dimensions &amp; ordering information.

**13-18**
**V and VH Lighting**

Features, accessories, technical data, dimensions &amp; ordering information.

**19-25**
**TVA Obstruction Lights**

Features, accessories, technical data, dimensions &amp; ordering information.

**27-32**
**Stylmaster-Strobe**

Features, accessories, technical data, dimensions &amp; ordering information.

**F3**
**Fluorescent Lighting  
– Enclosed & Gasketed**
**1-4**
**Rigmaster**

Features, accessories, technical data, dimensions &amp; ordering information.

**5-8**
**FD/FR/FZ – Non-Metallic Fluorescent**

Technical data, dimensions, accessories etc.

**12-15**
**FV Series – Non-Metallic Fluorescent**

Technical data, dimensions, accessories etc.

**16-18**
**VH Compact Fluorescent**

Available in 13, 18 &amp; 28 Watt PLC lamp. Technical data, dimensions, accessories etc.

**20-35**
**Mercmaster III – Low Profile:  
Compact Fluorescent**

Technical data, dimensions, accessories etc.

**36-39**
**RigMaster™ Metallic Fluorescent  
Lighting Fixtures for Hazardous and  
Adverse Locations**

Features, technical data, dimensions, photometric data etc.


**F5**
**Specialty Lighting  
– Enclosed & Gasketed**
**1-10**
**Mercmaster III – Induction Lighting  
Fixtures**

Features, accessories, technical data, dimensions &amp; ordering information.

# Product Index – G1, G2, G3 & G5

G

## Explosion-Proof Lighting



G1

## HID Lighting

1-8

### Code•Master™ Jr.

Explosion-Proof, Dust-Ignition-Proof. Integrally ballasted for High Pressure Sodium, Metal Halide or Mercury Vapour lamps.

9-24

### Code•Master 2™

Explosion-Proof, Dust-Ignition-Proof. Integrally ballasted for High Pressure Sodium, Metal Halide or Mercury Vapour lamps.

25-28

### Code•Master 'C'

Remote (side by side) ballast. Explosion-Proof, Dust-Ignition-Proof. Technical information, ordering information & accessories.

29-32

### EFL series Explosion-Proof HID & Quartz Floodlighting

Features, ordering information, dimensions & photometric data.

G2

## Incandescent Lighting

1-12

### Code•Master 'C'

Explosion-Proof Incandescent lighting. Features, technical data, dimensions, accessories etc.

13-28

### A-51, Strobe-Master, EHL Handlamps & EF Series Floodlighting

Features, technical data, dimensions, accessories etc.

29-35

### Code-Master Strobe & Beacon

Features, technical data, dimensions, accessories etc.

37-40

### Code•Master™ Jr. Incandescent

Factory Sealed Lighting Fixtures. Explosion-Proof, Dust-Ignition-Proof. Features, dimensions accessories etc.

G3

## Fluorescent Lighting

1-4

### EFU Fluorescent

Features, accessories, technical data, dimensions & ordering information.

5-11

### Code•Master™ Jr.

#### Compact Fluorescent

Features, technical data, dimensions, accessories etc.

13-18

### APL

#### Fluorescent Lighting Fixtures

Features, technical data, dimensions, accessories etc.

G5

## Specialty Lighting

1-10

### Code•Master 2™

#### Induction Lighting System Factory Sealed Fixtures

Explosion-Proof

Features, accessories, technical data, dimensions & ordering information.



## Explosion-Proof Fixture Hangers



1-11

## Explosion-Proof Fixture hangers

Features, technical data, dimensions,  
installations and accessories etc.

Rigid and flexible fixture hangers for  
explosion proof lighting fixtures.



### Explosion-Proof Unions, Seals and Flexible Couplings



Explosion proof unions, seals, flexible couplings, fittings and accessories for hazardous locations.

**1-6B**

### Unions, Couplings & Seals

Explosion-Proof, Dust-Ignition-Proof. UNY, UNF unions, UNL union elbows, UNY, UNF expansion unions & KWIKO sealing cement.

**7-18B**

### Sealing Fittings

EY seals, EYS, EYDM, EYD combination drain breathers, EXGJH, EXLK flexible couplings, PLG close-up plugs, BR reducers, ELF & ELMF elbows, ELBY & ELBD elbows.

**19-22**

### TMC CableReady Connectors

Features, technical data, dimensions etc.

**24-25**

### ALESKO/APESCO

#### Epoxy Sealing Compounds

Features and ordering information.

**26**

### Service Entrance Heads

Features and ordering information.

**I1**

### Nickel Plated Brass Cable Glands – Industrial, Hazardous and Explosion-Proof Armoured and Unarmoured

**1-3**

### A2F and T3CDS series

Features, technical data, ordering information, dimensions and accessories and tools etc.

**5-8**

### PXSS2K, Protex 2000 and C2KX series

Features, technical data, ordering information and dimensions etc.

**9-12**

### Adaptors, Reducers and Stopper Plugs

Features, technical data, ordering information and selection table etc.

# Product Index – J, J1 & J2



## Explosion-Proof Junction Boxes



Explosion proof junction boxes for wire pulling and splicing. Housings for instruments and devices. Available in ferrous alloy, malleable iron and aluminum.

1-25

### Explosion-Proof Junction Unilets

Features, technical data, dimensions & accessories etc. for CPU, DER, ELBD, ELBY, ER, FX, GR, GRF, GRJ, GRJS, GRSS, GRUE & GUB.

27-30

### XP Series Junction Boxes: Explosion-Proof, Dust-Ignition-Proof

Features, technical data, dimensions & accessories etc.

31-34

### SJB Junction Box 316L Stainless Steel Enclosures

Features, technical data, dimensions & accessories etc.

J1

Curlee

1-7

### Instrument & Meter Enclosures

Features, technical data, dimensions etc. for GUB and ETE Series Enclosures.

9-12

### Junction Boxes

Features, technical data, accessories and dimensions for JBEW Explosion-Proof Junction Boxes.

J2

1-2

### BJE Series Octagonal Polycarbonate Junction Boxes

Features, technical data, dimensions etc.

3-6

### PJB Hazardous Location Junction Box

Features, technical data, accessories and dimensions.

# Product Index – K

K

## Explosion-Proof Plugs and Receptacles



Plugs, receptacles and interlocked receptacles for connecting portable devices in classified areas.

2A-2E

**15 and 20 Amp U-Line® Factory Sealed Receptacles & Plugs: Explosion-Proof, Dust-Ignition-Proof**  
Features, technical data, dimensions & accessories etc.

2F

**U-Line® Portable Receptacle with GFCI: Explosion-Proof, Dust-Ignition-Proof**  
Features, technical data & dimensions etc.

3-6

**CES & CESD Slide-Lok® Plugs & Receptacles: Factory Sealed**  
Features, technical data & accessories etc.

8A-8D

**EBR Explosion-Proof, Dust-Ignition-Proof & Weather Resistant Receptacles & Plugs for Portable Electrical Equipment**  
Features, technical data, dimensions & accessories etc.

15-17

**JBR Switched Receptacle**  
Dead front interlocked construction 30 and 60 Amp, 600 V AC, 50-60 Hertz. Features, technical data & accessories etc.

19-21

**20 Amp CPS Factory Sealed Receptacles: Explosion-Proof**  
Dead front safety construction – grounding through extra pole and shell. Features, technical data & accessories etc.

22-24

**ID2SR Series Interlocked Switched Receptacle**  
Dead front interlocked construction. Features, ordering information and dimensions etc.

M

**Conveyor Controls**

Controls for conveyor lines, cranes, unloaders and bulk handling systems.

**1-12****Conveyor Belt Alignment, Conveyor Control & Speed Responsive Switches**

Features, technical data, dimensions & accessories etc. for AFU, AFUX, AFS, AFSX, AFA & AFAX conveyor controls and switches.

**13-14****Emergency Shut-off Conveyor Control**

Features, technical data & accessories etc.

**15-16****EGC Static Ground Indicator**

Features, technical data, dimensions & accessories etc.

N

### Explosion-Proof Switches, Pilots and Control Stations



A wide selection of components, boxes, accessories and disconnect stations.

1-16

#### ECS Control Stations & Pilot Lights

Explosion-Proof, Dust-Ignition-Proof. UNY, UNF unions, UNL union elbows, UNY, UNF expansion unions & KWIKO sealing cement.

16A-16B

#### ECS Series Timer Station

Explosion-Proof, Dust-Ignition-Proof Timer Control Station.

16C

#### ECS Multi-Position Switches

Explosion-Proof, Dust-Ignition-Proof Control Stations with Front Operated Selector Switches

18A-18D

#### EFD Factory Sealed Control Stations and Pilot Lights

Explosion-Proof, Dust-Ignition-Proof.

19-20

#### EDS Heavy Duty Disconnect Switch

30, 60, 100 & 200 Amp units for 600 V A.C. maximum. Features, technical data, dimensions etc.

20A-20C

#### WD2S Series Disconnect Switch

Factory sealed. Features, ordering information, dimensions etc.

23-24

#### FD Factory Sealed Toggle Switches

Features, technical data, dimensions etc.

34-45

#### ATX Control Stations

Features, technical data, dimensions, accessories & Ordering Information etc.

46-68

#### CSEW Cast Control Centres

Features, technical data, dimensions, accessories & Ordering Information etc.

# Product Index – O



## Custom Engineered Products



Appleton made-to-order products allow for the installation of non-catalogued electrical products in hazardous locations.


1-4

**CEP Series:**  
**Appleton Custom Engineered Products**  
**Explosion-Proof, Dust-Ignition-Proof**  
Features of sample products.

# Product Index – P



## Explosion-Proof Panelboards



Circuit breaker panelboards to protect and control lighting and power distribution in classified, wet and corrosive conditions.

1-12

**Circuit Breaker Panelboards: Explosion-Proof, Dust-Ignition-Proof**  
Features, technical data, dimensions & accessories etc.

13

**Curlee: Switchracks**  
Features and samples.

**P1**

1-8

**PowerPlex™ Panelboards: Stainless Steel Enclosures**  
Features, options and specifications & dimensions etc.

**Explosion-Proof  
Breakers and Starters**

Circuit breakers, line starters and combination starters with breakers for classified locations.

**1-20****Bolt-On Series:  
Explosion-Proof, Dust-Ignition-Proof  
Starters & Circuit Breakers**

Features, technical data, dimensions, installations and accessories etc. for EB, EBC, ERC, ERS, ES, ESC and ESS.

**21-22****Manual Motor Starter**

Features, technical data, ordering information and dimensions.

**23-24****AEXMS Series Manual Motor Starters**

Features, technical data, ordering information and dimensions.

**Q2****1-3****PowerPlex™ Panelboards:  
Stainless Steel Enclosures**

Features, breaker selection & dimensions etc.

R

## Industrial Lighting



High bay and low bay lighting for manufacturing, storage, process and other indoor industrial installations.

1A-1D

**Lumenmaster 250/400™**

For 150W to 400W High Pressure Sodium lamps or 175W to 400W Metal Halide or Mercury Vapour lamps. Features, technical data & accessories etc.

1-4

**Baymaster 250/400**

For 250 & 400W HID lamps. Features, technical data & accessories etc.

5-7

**Baymaster 1000**

For 1000W High Pressure Sodium or Metal Halide lamps. Features, technical data & accessories etc.

8-9

**Baymaster Prismatic 250/400 High Bay Luminaires**

For 150W - 400W High Pressure Sodium, Metal Halide & Mercury Vapour lamps. Features, technical data & accessories etc.

10-12

**Flexible Fixture Hangers**

Unilets for use with threaded rigid metal conduit and IMC. Features & ordering information for SHC & SSH. EF, FH & FHSN hangers & loops.

12A

**Power Hook for Industrial High Bay Luminaires**

Features, technical data etc.

13-16

**Super-Baymaster**

For 150W, 175W, 250W, 400W & 1000W HID lamps. Features, technical data, dimensions & accessories etc.

19-20

**Remote Ballasts**

For 150W through 1000W High Pressure Sodium fixtures & 175W through 1000W Metal Halide & Mercury Vapour fixtures. Features & technical data etc.



## Floodlighting



A wide range of Areamaster™ and Wallmaster™ HID floodlighting and Sportsmaster™ and Sportoflood™ sports lighting.

## A-D

**Areamaster Jr.™**

For 150W, 100W, 70W or 50W High Pressure Sodium medium base lamps or for 175W or 100W Metal Halide medium base lamps. Features, technical data & accessories etc.

## 1-1C

**Areamaster Squarelight™ 250/400**

250 & 400W High Pressure Sodium or Metal Halide lamps. Features, technical data & accessories etc.

## 1D-4

**Areamaster™ 100**

For 150W, 100W, 70W or 50W High Pressure Sodium or 100W Mercury Vapour lamps. Features, technical data & accessories etc.

## 5-11

**Areamaster™ 250/400**

For 150W, 100W, 70W or 50W High Pressure Sodium or 100W Mercury Vapour lamps. Features, technical data & accessories etc.

## 13-16

**Areamaster™ 1000**

For 1000W High Pressure Sodium, Metal Halide or Mercury Vapour lamps. Features, technical data & accessories etc.

## 20A-D

**Mini-Wallmaster™**

Furnished with 150W, 100W, 70W, 50W or 35W medium base HPS lamp. Features, technical data & accessories etc.

## 21-23

**Wallmaster™**

For 50W, 70W, 100W, 150W, 200W & 250W HPS, 175W & 250W MH and 100W, 125W, 175W and 250W MV lamps. Features, technical data & accessories etc.

## 25-28

**Quartzlite™ 500 & 1500**

For 300W through 1500 quartz tungsten halogen lamps. Features, technical data & accessories etc.

## 29-30

**Quartzlite™ 50 Floodlight**

For 500W quartz tungsten halogen lamps. Features, technical data & accessories etc.

## 31

**Multi-Purpose Ballasts & Accessories**

For 400W or 1000W HID lamps or 300W, 500W 1000W or 1500W incandescent lamps. Features, technical data & accessories etc.

## 33-35


**Sports-Master™**

For 400W, 1000W or 1500W Metal Halide lamps, or 400W and 1000W High Pressure Sodium lamps. Features, technical data & accessories etc.

# Product Index – U



**Poles, Brackets and Accessories**



**1-4**

**Lighting Poles & Brackets**

Illustrated samples & ordering information.

Round, square and octagonal poles. Brackets for mounting single or multiple fixtures on walls, wood or metal poles.



## Reelites® Extension Cord Cable Reels



A safe, convenient source of retractable electrical cords for portable lighting or general utility power.

1-16

## Appleton Commercial/Industrial Cord Reels

Features, technical data, dimensions & accessories etc. for 7S, 7P & 7SV Series, 1500 Series, RL5000 Series, RL 100, RL 110 & RL150 Series, AERL & SD Series.

# Product Index – McGill



McGill Electrical  
Safety Products



A full line of switches, portable and temporary lighting, utility lighting, lamp protection and general purpose lighting.

1-6

## Electrical Safety Products

Featuring incandescent & fluorescent extension lights, String-O-Lights™, dock lights, guards: Gripon®, Loxon® & Protector "O"®; Protect-O-Sleeves, Protect-O-Tube™, Tubeloc holders, lamp changers, switches: toggle, snap action, rocker, paddle. three- and four pole, momentary contact & Levelier™ lites. Features, technical data etc.

# Product Index – BC Roughing-In



**Box Connectors**



**1-3**

**Box Connectors**

Dimensions & ordering information.

For armoured cable, flexible steel cable and nonmetallic sheathed cable.

# Product Index – CC Roughing-In



**Cable Connectors:  
Roughing-In**



Watertight strain relief cord grips and connection for smooth aluminum clad cable and jacketed metal clad cable.

**1-12**

**Cable Connectors**

Features, technical data, dimensions, installations & ordering information.

# Product Index – CF Roughing-In



**Conduit Fittings:  
Roughing-In**



**1-20**

**Conduit Fittings**


Features, technical data, dimensions,  
installations & ordering information.

A complete selection of couplings,  
connection and miscellaneous fittings  
for threaded and non-threaded rigid  
metal conduit and I.M.C.

# Product Index – CH Roughing-In



**Conduit Hangers:  
Roughing-In**



**1-7**

## **Conduit Hangers**

Features, technical data, dimensions, installations & ordering information.

Hangers, clamps and clampbacks, cable tray clamps, and straps for rigid metal conduit and I.M.C.

# Product Index – ST Roughing-In



**Sealtite Connectors  
JIC and Pull Boxes:  
Roughing-In**



Liquid tight connectors for flexible jacketed metallic and nonmetallic conduit. Metallic JIC and threaded pull boxes.

**1-15**

**Liquidtight Flexible Metal Conduit  
Connectors & Hubs**

Featuring ST, STB, STN & STL Connectors and hubs. Features, technical data, dimensions, installations & ordering information.