

# Master Pricing Index Indice De Fixation Des Prix

## MSPTP-1109

**ELECTRICAL SAFETY PRODUCTS  
PRODUITS ELECTRIQUES DE SECURITE**

**Effective November 1, 2009.  
En Vigueur le 1<sup>er</sup> novembre, 2009.**

**Suggested Trade Price Index  
Indice des prix marchands suggérés**

McGill UPC ID# 036283



**McGILL®**

  
**EMERSON™**  
Industrial Automation

MSPTP-1109 supercedes and cancels all previous pricing indexes and their supplements.  
L'indice de fixation des prix MSPTP-1109 remplace tous les indices anterieurs et leurs supplements.

## TERMS AND CONDITIONS OF SALE

### 1. Price Changes

Prices in the Price List are correct and up to date. If prices change, an Addendum to the current Price List or an entire new Price List will be issued. Prices and additional information are compiled with care but obviously cannot be guaranteed and are subject to change without notice. Clerical errors are subject to correction.

### 2. Warranty-Disclaimer of Warranties

Products of EGS Electrical Group Canada Ltd. are warranted against defects of material and workmanship under normal and proper use and service for a period of one year from date of shipment from factory.

THERE ARE NO EXPRESS WARRANTIES OR WARRANTIES OF FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY IMPLIED WARRANTIES OTHER THAN THOSE MADE EXPRESSLY HEREIN.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER REPRESENTATIONS AND EXPRESSED OR IMPLIED WARRANTIES. THE PARTIES AGREE THAT THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED FROM THIS TRANSACTION AND SHALL NOT APPLY TO GOODS SOLD.

EGS Electrical Group Canada Ltd. assumes no responsibility for the application, proper selection or installation of its products. The remedies provided for in this warranty are limited to the furnishing of new parts free of charge in exchange for parts which have proven defective. Expenses incurred in repairing or replacing any defective part, or any expenses resulting from consequential damages will not be allowed. Reelite warranty is void where cable is installed by others. Normal wear of Reelite parts, which include springs, collector rings and brushes are excluded from warranty.

### 3. Delivery Terms on Shipments Direct to Distributor's Customers

Shipments of orders shipped direct to the Distributor's customer, are shipped F.O.B. Shipping Point, with transportation pre-paid, cheapest way to any Distributor's city in Canada (except Yukon and North West Territories) on all orders having a value of \$500 or more. No freight allowed on orders less than \$500.00 Trade Price Value. An assortment of EGS Electrical Group Canada Ltd. products is permitted to determine the total value for one order.

Express, Air Express and Air Freight, etc. shipments shipped direct to the Distributor's customer are F.O.B. Shipping Point, freight collect. Upon request such shipments will be made prepaid and charge with the transportation added to the Invoice.

#### Cartage

EGS Electrical Group Canada Ltd. will not assume, allow or pay any special notification charges assessed by the carrier or any charges for cartage, detention, or store door delivery at destination.

#### Claim for Shortages

No claim for shortages will be recognized by EGS Electrical Group Canada Ltd. unless such shortage is reported to the Home Office of EGS Electrical Group Canada Ltd., Elmira, Ontario within fifteen days after receipt of shipment at destination.

### 4. Prices

Prices listed are Trade Net. Tax is not included.

### 5. Suffixes, Symbols

POA Price on application

Consult your local sales office or EGS Electrical Group Canada Ltd., Elmira, Ontario

## CONDITIONS DE VENTE DU FOURNISSEUR

### 1. Changements des prix

Les prix reflétés dans cette liste sont exacts et courants. En cas de changement, un addenda à la liste des prix courants, ou encore une nouvelle liste, sera émise. Les prix et tous les renseignements supplémentaires sont compilés avec soin, mais ne peuvent être garantis et sont sujets à modification sans préavis. Les erreurs d'écritures sont sujettes à correction.

### 2. Garantie

EGS Electrical Group Canada Ltd. garantit ses produits contre les vices de fabrication ou de matières premières dans les conditions normales et appropriées d'utilisation et de service pendant un an à partir de la date d'expédition de l'usine.

IL N'Y A AUCUNE GARANTIE EXPRESSE NI GARANTIE D'ADAPTATION À UNE FIN PARTICULIÈRE NI AUCUNE GARANTIE IMPLICITE AUTRE QUE CELLES DONNÉES EXPRESSÉMENT DANS LA PRÉSENTE.

LA GARANTIE PRÉCITÉE EST EXCLUSIVE ET REMPLACE TOUTES LES AUTRES REPRÉSENTATIONS ET GARANTIES EXPRESSES ET IMPLICITES. LES PARTIES ACCEPTENT QUE LES GARANTIES IMPLICITES DE QUALITÉ LOYALE ET MARCHANDE ET D'ADAPTATION À UNE FIN PARTICULIÈRE SOIENT EXCLUES DE CETTE TRANSACTION ET QU'ELLES NE DOIVENT PAS S'APPLIQUER AUX BIENS VENDUS.

EGS Electrical Group Canada Ltd. n'assume aucune responsabilité pour l'utilisation, le bon choix ou l'installation de ses produits. Les dédommagements prévus dans cette garantie sont restreints à la fourniture de nouvelles pièces, sans frais, pour remplacer celles qui se sont avérées défectueuses. Les frais encourus pour réparer ou remplacer une pièce défectueuse ou tous les frais encourus à la suite de dommages indirects ne seront pas autorisés. La garantie des produits Reelite est nulle si le câble est installé par d'autres. L'usure normale des pièces Reelite, qui comprennent les ressorts, les bagues collectrices et les balais, n'est pas comprise dans la garantie.

### 3. Modalités d'expédition directe aux clients du distributeur

Les marchandises expédiées directement aux clients du distributeur le sont F.A.B. point d'expédition, avec frais de transport payés pour le mode le moins coûteux vers toute ville canadienne du distributeur (sauf le Yukon et les Territoires du Nord-Ouest) pour toutes les commandes d'une valeur marchande de 500 \$ ou plus. Aucun transport n'est prévu pour les commandes d'une valeur marchande inférieure à 500 \$. Il est possible d'utiliser un assortiment de produits EGS Electrical Group Canada Ltd. pour déterminer la valeur globale d'une commande.

Les marchandises expédiées directement par express, express aérien, fret aérien, etc., au client du distributeur le sont F.A.B. point d'expédition, transport dû. Sur demande, de telles expéditions seront prépayées et les frais de transport ajoutés à la facture.

#### Camionnage

EGS Electrical Group Canada Ltd. n'assumera, ne prévoiera ni ne paiera aucun frais de notification spéciale prévue par le transporteur ni aucun frais de camionnage, d'entreposage ou de livraison au magasin à destination.

#### Réclamation pour commandes incomplètes

EGS Electrical Group Canada Ltd. ne reconnaît aucune réclamation pour commandes incomplètes à moins que la dite commande incomplète ne soit signalée au siège sociale d'EGS Electrical Group Canada Ltd., Elmira (Ontario), dans les quinze jours suivant la réception des marchandises à destination.

### 4. Prix

Les prix reflétés sont les prix marchands nets. Taxes non incluse.

### 5. Suffixes et symboles

POA Prix sur Application.

Consulter votre bureau de vente locale ou EGS Electrical Group Canada Ltd., Elmira, Ontario

CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE	CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE
NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT	NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT
1000 7148 (BP-1)	P.O.A. /E	10	0.1	30010	63	01650	2.89 /E	100	0.0	25090	54
0100 3998 (BP-2)	11.33 /E	10	0.1	30020	63	0753	27.67 /E	1	1.3	20409	24,25
0090 5196 (BP-3)	10.61 /E	10	0.1	30030	63	0801 1310	20.96 /E	10	0.1	24511	46
0091 5198 (BP-4)	10.61 /E	10	0.1	30040	63	0801 1311	25.06 /E	10	0.1	24521	46
1000 4398 (BP-6)	P.O.A. /E	10	0.1	30050	63	0801 1312	25.06 /E	10	0.1	24531	46
1000 2198 (BP-8)	P.O.A. /E	10	0.1	30070	63	0811 0310	23.86 /E	10	0.1	24760	46
4125 4997 (BP-12)	25.06 /E	10	0.1	30110	63	0811 1310	26.99 /E	10	0.1	24761	46
0092 5198 (BP-13)	10.61 /E	10	0.1	30120	63	0811 1311	32.77 /E	10	0.1	24771	46
4125 4996 (BP-14)	25.06 /E	10	0.1	30130	63	0815 1253	9.40 /E	25	0.0	24420	48
0140 4049 (BP-22)	66.75 /E	6	0.2	30210	63	0815 2243	9.40 /E	25	0.0	24415	48
0121 4997 (BP-23)	20.26 /E	10	0.1	30211	63	0815 2253	9.40 /E	25	0.0	24425	48
0121 4995 (BP-24)	20.26 /E	10	0.1	30212	63	08162	117.18 /E	6	1.0	27489	11
0121 4996 (BP-25)	20.26 /E	10	0.1	30213	63	08170	107.12 /E	6	0.7	27265	11,12
						08171	102.58 /E	6	0.7	27266	11,12
						0820 0004	P.O.A. /E	1	21.0	31721	55
0000 9939	1,082.13 /E	1	8.0	30243	55	0820 1003	P.O.A. /E	1	21.0	31721	55
0000 9940	3,502.91 /E	1	42.0	69899	-	0821 1313	26.99 /E	10	0.1	24543	46
0000 9941	2,785.83 /E	1	56.0	69904	-	0821 1314	28.43 /E	10	0.1	24553	46
00868	35.29 /E	10	0.1	27210	12	0821 1316	28.43 /E	10	0.1	24573	46
0090 5196 (BP-3)	10.61 /E	10	0.1	30030	54	0821 1317	40.96 /E	10	0.1	24581	46
0090 9973	27.23 /E	10	0.0	25191	54	0831 0314	33.49 /E	10	0.1	24802	46
0090 9986	20.24 /E	10	0.0	25180	54	0831 0316	33.49 /E	10	0.1	24822	46
0090 9988	23.37 /E	10	0.0	25200	54	0831 0317	46.51 /E	10	0.1	24830	46
0091 5198 (BP-4)	10.61 /E	10	0.1	30040	54	0831 0318	50.12 /E	10	0.1	24840	46
0092 5198 (BP-13)	10.61 /E	10	0.1	30120	54	0831 1313	35.18 /E	10	0.1	24793	46
0100 3998 (BP-2)	11.33 /E	10	0.1	30020	54	0831 1314	38.31 /E	10	0.1	24803	46
0121 0001	20.26 /E	25	0.1	21701	50	0831 1316	38.31 /E	10	0.1	24821	46
0121 0002	20.26 /E	25	0.1	21711	50	0831 1317	47.23 /E	10	0.1	24831	46
0121 0003	20.26 /E	25	0.1	21721	50	08336	136.12 /E	3	0.7	27290	11
0121 0004	25.32 /E	10	0.1	21731	50	0851 0001	15.09 /E	10	0.1	32000	47
0121 0005	25.32 /E	10	0.1	21741	50	0851 0005	21.56 /E	10	0.1	32040	47
0121 0006	25.32 /E	10	0.1	21751	50	0851 0007	19.64 /E	10	0.1	32060	47
0121 0007	25.32 /E	10	0.1	21761	50	0851 0008	22.76 /E	10	0.1	32070	47
0121 0009	21.27 /E	25	0.1	21771	50	0851 1301	24.67 /E	10	0.1	32080	47
0121 0010	21.27 /E	25	0.1	21781	50	0851 1304	28.03 /E	10	0.1	32090	47
0121 0011	21.27 /E	25	0.1	21791	50	0851 1307	28.03 /E	0	0.1	32100	47
0121 0012	26.59 /E	10	0.1	21801	50	0851 2302	35.21 /E	10	0.1	32110	47
0121 0013	26.59 /E	10	0.1	21811	50	0851 2303	35.21 /E	10	0.1	32120	47
0121 0014	26.59 /E	10	0.1	21821	50	0851 2305	38.09 /E	10	0.1	32130	47
0121 0015	26.59 /E	10	0.1	21831	50	0851 2306	38.09 /E	10	0.1	32140	47
0121 0043	25.32 /E	10	0.1	21921	50	0861 0002	26.35 /E	10	0.1	33010	47
0121 0044	26.59 /E	10	0.1	21931	50	0861 0003	26.35 /E	10	0.1	33020	47
0121 4995 (BP-24)	20.26 /E	10	0.1	30212	54	0861 0004	27.31 /E	10	0.1	33030	47
0121 4996 (BP-25)	20.26 /E	10	0.1	30213	54	0861 0005	28.99 /E	10	0.1	33040	47
0121 4997 (BP-23)	20.26 /E	10	0.1	30211	54	0861 0007	27.31 /E	10	0.1	33060	47
0140 3000	53.39 /E	10	0.1	22010	50	0861 0008	30.18 /E	10	0.1	33070	47
0140 3001	66.73 /E	10	0.1	22020	50	0861 1301	32.34 /E	10	0.1	33080	47
0140 3003	53.39 /E	10	0.2	22040	50	0861 1304	36.65 /E	10	0.1	33090	47
0140 3004	53.39 /E	10	0.2	22050	50	0861 2302	44.32 /E	10	0.1	33110	47
0140 3005	66.73 /E	10	0.1	22060	50	0861 2303	44.32 /E	10	0.1	33120	47
0140 3006	66.73 /E	10	0.1	22070	50	0861 2305	47.19 /E	10	0.1	33130	47
0140 3007	66.73 /E	10	0.1	22080	50	0865	89.22 /E	3	0.6	27190	12
0140 3020	50.84 /E	10	0.1	22170	50	0871 0605	15.90 /E	10	0.1	34191	47
0140 3021	63.55 /E	10	0.1	22180	50	0871 1607	26.51 /E	10	0.1	34160	47
0140 3023	50.84 /E	10	0.2	22200	50	0871 9990	3.86 /E	100	0.0	34138	47
0140 3024	50.84 /E	10	0.2	22210	50	0877	44.75 /E	3	0.6	27200	12
0140 3026	63.55 /E	10	0.2	22230	50	0881 2608	40.72 /E	10	0.1	35150	47
0140 3027	63.55 /E	10	0.2	22240	50	0890 2004	P.O.A. /E	1	21.0	31721	55
0140 4000	71.42 /E	10	0.2	22300	50	0891 1111	P.O.A. /E	6	0.1	80201	55
0140 4003	71.42 /E	10	0.2	22330	50	0891 1112	P.O.A. /E	6	0.1	80202	55
0140 4004	71.42 /E	10	0.2	22340	50	0891 1113	P.O.A. /E	6	0.1	80203	55
0140 4007	95.45 /E	10	0.2	22370	50	0891 1121	P.O.A. /E	6	0.1	80211	55
0140 4020	66.75 /E	10	0.2	22460	50	0891 1122	P.O.A. /E	6	0.1	80212	55
0140 4021	86.77 /E	10	0.2	22470	50	0891 1123	P.O.A. /E	6	0.1	80213	55
0140 4023	66.75 /E	10	0.2	22490	50	0891 1131	P.O.A. /E	6	0.1	80221	55
0140 4024	66.75 /E	10	0.2	22500	50	0891 1132	P.O.A. /E	6	0.1	80222	55
0140 4026	86.77 /E	10	0.2	22520	50	0891 1133	P.O.A. /E	6	0.1	20223	55
0140 4027	86.77 /E	10	0.2	22530	50	0891 1141	P.O.A. /E	6	0.1	80231	55
0140 4049 (BP-22)	66.75 /E	6	0.2	30210	54	0891 1142	P.O.A. /E	6	0.1	80232	55
01540	6.53 /E	100	0.0	27910	31	0891 1143	P.O.A. /E	6	0.1	80233	55

CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE	CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE
NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT	NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT
0891 1311	P.O.A. /E	6	0.1	80281	55	1438	71.00 /E	8	0.6	28980	30
0891 1312	P.O.A. /E	6	0.1	80282	55	1438 1	45.18 /E	6	0.5	28990	30
0891 1313	P.O.A. /E	6	0.1	80283	55	1455 38	99.43 /E	6	0.8	27520	11
0891 1321	P.O.A. /E	6	0.1	80291	55	1455 38 T	122.51 /E	6	1.5	27525	11
0891 1322	P.O.A. /E	6	0.1	80292	55	150 CA	47.34 /E	1	0.7	27650	32
0891 1323	P.O.A. /E	6	0.1	80293	55	151 CA	47.34 /E	1	0.7	27660	32
0891 1331	P.O.A. /E	6	0.1	80301	55	152 C	47.34 /E	1	0.7	27670	32
0891 1332	P.O.A. /E	6	0.1	80302	55	153 C	47.34 /E	1	0.7	27680	32
0891 1333	P.O.A. /E	6	0.1	80303	55	154 C	47.34 /E	1	0.5	27690	32
0891 1341	P.O.A. /E	6	0.1	80311	55	155 C	70.59 /E	1	1.0	27700	32
0891 1342	P.O.A. /E	6	0.1	80312	55	156 C	70.59 /E	1	0.6	27710	32
0891 1343	P.O.A. /E	6	0.1	80313	55	157 C	70.59 /E	1	0.7	27720	33
0891 1411	P.O.A. /E	6	0.1	80321	55	1575	2.57 /E	100	0.0	25030	54
0891 1412	P.O.A. /E	6	0.1	80322	55	158 C	70.59 /E	1	0.6	27730	32
0891 1413	P.O.A. /E	6	0.1	80323	55	159 C	70.59 /E	1	1.0	27740	32
0891 1421	P.O.A. /E	6	0.1	80331	55	160 P	33.39 /E	1	1.6	27750	33
0891 1422	P.O.A. /E	6	0.1	80332	55	161 C	38.20 /E	1	0.8	27760	32
0891 1423	P.O.A. /E	6	0.1	80333	55	1610 2	2.55 /E	100	0.0	25040	54
0891 1431	P.O.A. /E	6	0.1	80341	55	162 C	47.34 /E	1	0.8	27770	33
0891 1432	P.O.A. /E	6	0.1	80342	55	163 C	70.59 /E	1	1.0	27780	32
0891 1433	P.O.A. /E	6	0.1	80343	55	1650	2.89 /E	100	0.0	25050	54
0891 1441	P.O.A. /E	6	0.1	80351	55	166 C	47.34 /E	1	0.5	27792	33
0891 1442	P.O.A. /E	6	0.1	80352	55	170 P	65.91 /E	4	0.8	27800	31
0891 1443	P.O.A. /E	6	0.1	80353	55	171 C	243.68 /E	1	1.2	27810	31
0891 2111	P.O.A. /E	10	0.1	80001	55	173 S	41.97 /E	1	1.0	27820	31
0891 2112	P.O.A. /E	10	0.1	80002	55	174	345.10 /E	1	4.6	27830	31
0891 2113	P.O.A. /E	10	0.1	80003	55	184	223.93 /E	1	5.0	27840	31
0891 2121	P.O.A. /E	10	0.1	80011	55	1908 0100	54.70 /E	10	0.1	23040	52
0891 2122	P.O.A. /E	10	0.1	80012	55	1950	2.89 /E	100	0.0	25110	54
0891 2123	P.O.A. /E	10	0.1	80013	55	1957	2.89 /E	100	0.0	24120	54
0891 2131	P.O.A. /E	10	0.1	80021	55	200	55.85 /E	10	0.3	27850	33
0891 2132	P.O.A. /E	10	0.1	80022	55	21	P.O.A. /E	25	0.1	20000	51
0891 2133	P.O.A. /E	10	0.1	80023	55	2100 2100 A	17.25 /E	12	0.3	29026	30
0891 2141	P.O.A. /E	10	0.1	80031	55	2200 2200 A	19.83 /E	6	0.4	29027	30
0891 2142	P.O.A. /E	10	0.1	80032	55	2250 (Use 2259)	2.49 /E	25	0.2	29083	9
0891 2143	P.O.A. /E	10	0.1	80033	55	2250 S	5.27 /E	25	0.2	29105	9
0891 2311	P.O.A. /E	10	0.1	80081	55	2252	9.95 /E	25	0.3	29086	8,9
0891 2312	P.O.A. /E	10	0.1	80082	55	2252 5007	487.10 /E	1	23.0	29210	8,9
0891 2313	P.O.A. /E	10	0.1	80083	55	2253	19.33 /E	25	0.3	29088	9
0891 2321	P.O.A. /E	10	0.1	80091	55	2255	4.98 /E	25	0.2	29081	9
0891 2322	P.O.A. /E	10	0.1	80092	55	2256	25.07 /E	25	0.4	29082	9
0891 2323	P.O.A. /E	10	0.1	80093	55	2259	2.49 /E	25	0.2	70562	9
0891 2331	P.O.A. /E	10	0.1	80101	55	2260	4.79 /E	24	0.3	29031	26
0891 2332	P.O.A. /E	10	0.1	80102	55	2260 B	11.62 /E	12	0.3	29062	27
0891 2333	P.O.A. /E	10	0.1	80103	55	2260 FR	38.36 /E	24	0.3	29051	27
0891 2341	P.O.A. /E	10	0.1	80111	55	2260 G	11.62 /E	12	0.3	29063	27
0891 2342	P.O.A. /E	10	0.1	80112	55	2260 P	11.62 /E	12	0.3	29064	27
0891 2343	P.O.A. /E	10	0.1	80113	55	2260 R	11.62 /E	12	0.3	29065	27
0891 2411	P.O.A. /E	10	0.1	80121	55	2260 Y	11.62 /E	12	0.3	29066	27
0891 2412	P.O.A. /E	10	0.1	80122	55	2261	6.82 /E	24	0.3	29032	26
0891 2413	P.O.A. /E	10	0.1	80123	55	2261 B	11.62 /E	12	0.3	29067	27
0891 2421	P.O.A. /E	10	0.1	80131	55	2261 G	11.62 /E	12	0.3	29068	27
0891 2422	P.O.A. /E	10	0.1	80132	55	2261 P	11.62 /E	12	0.3	29069	27
0891 2423	P.O.A. /E	10	0.1	80133	55	2261 R	11.62 /E	12	0.3	29071	27
0891 2431	P.O.A. /E	10	0.1	80141	55	2261 Y	11.62 /E	12	0.3	29072	27
0891 2432	P.O.A. /E	10	0.1	80142	55	2262	12.54 /E	24	0.5	29033	26
0891 2433	P.O.A. /E	10	0.1	80143	55	2262 B	17.33 /E	12	0.5	29073	27
0891 2441	P.O.A. /E	10	0.1	80151	55	2262 G	17.33 /E	12	0.5	29074	27
0891 2442	P.O.A. /E	10	0.1	80152	55	2262 P	17.33 /E	12	0.5	29075	27
0891 2443	P.O.A. /E	10	0.1	80153	55	2262 R	17.33 /E	12	0.5	29076	27
100	11.33 /E	25	0.1	22650	52	2262 Y	17.33 /E	12	0.5	29077	27
100 S	13.34 /E	25	0.1	22690	52	2263	8.48 /E	24	0.7	29034	26
1000 2198 (BP-8)	17.35 /E	10	0.1	30070	54	2263 B	20.84 /E	12	0.7	29091	27
1000 4398 (BP-6)	27.71 /E	10	0.1	30050	54	2263 FR	77.27 /E	24	0.7	29040	27
1000 7148 (BP-1)	25.06 /E	10	0.1	30010	54	2263 G	20.84 /E	12	0.7	29092	27
1433	36.51 /E	12	0.4	28900	30	2263 P	20.84 /E	12	0.7	29093	27
1434	39.65 /E	4	0.8	28920	30	2263 R	20.84 /E	12	0.7	29094	27
1435 1	45.79 /E	12	0.7	28930	25,25,30	2263 Y	20.84 /E	12	0.7	29095	27
1435 3	59.92 /E	12	0.7	28950	25,25,31	2265	2.76 /E	48	0.0	29045	27
1435 6	60.46 /E	12	0.7	28960	25,25,32	2270	9.41 /E	24	0.2	29035	26

Note: Catalogue Numbers marked with \*\* are not CSA submitted.  
These are offered on a special order basis with no Cancellations or Returns, subject to local approvals where necessary.

CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE	CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE
NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT	NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT
2271	10.51 /E	24	0.3	29036	26	43	P.O.A. /E	10	0.1	20030	51
2272	12.91 /E	24	0.5	29037	26	507	406.09 /E	1	1.5	20232	17
2273	14.20 /E	24	0.7	29038	26	508	406.09 /E	1	1.5	20233	17
2273 B	22.50 /E	12	0.7	29330	27	509	406.09 /E	1	1.5	20234	17
2273 FR	56.80 /E	24	0.7	29335	27	5000 G	106.17 /E	6	1.4	25310	12
2273 G	22.50 /E	12	0.7	29331	27	5000 RG	112.45 /E	1	1.5	25350	12
2273 P	22.50 /E	12	0.7	29332	27	5000 SG	111.67 /E	1	1.4	25370	12
2273 R	22.50 /E	12	0.7	29333	27	5000 SRG	114.81 /E	6	1.5	25410	12
2273 Y	22.50 /E	12	0.7	29334	27	5000 SRGI	157.20 /E	1	1.5	25420	12
2274	2.76 /E	48	0.0	29047	27	5002 0510	84.27 /E	1	1.0	20240	20
2279	2.76 /E	48	0.0	29085	27	5002 0511	94.16 /E	1	2.0	20241	20
2281	12.86 /E	12	1.2	29041	26	5002 0512	134.33 /E	1	3.0	20242	20
2282	12.86 /E	12	1.5	29042	26	5002 0518	144.90 /E	1	5.0	20258	20
2283	71.80 /E	12	1.7	29043	26	5002 0519	381.04 /E	1	7.0	20259	20
2284	7.36 /E	48	0.1	29048	27	5002 0520	158.56 /E	1	3.0	20260	20
2285	11.06 /E	48	0.0	29049	27	5002 0528	166.90 /E	1	1.5	00049	20
2295	4.79 /E	48	0.3	29096	26	5004 0061	22.66 /E	1	0.8	27150	36
2295 B	13.65 /E	12	0.3	29340	27	5004 8803	408.91 /E	1	8.0	00881	36
2295 FR	39.46 /E	24	0.3	29345	27	5005 0530	30.71 /E	1	2.0	20250	17
2295 G	13.65 /E	12	0.3	29341	27	5025 G	162.30 /E	1	3.5	25440	12
2295 P	13.65 /E	12	0.3	29342	27	5025 RG	167.99 /E	1	3.6	25500	12
2295 R	13.65 /E	12	0.3	29343	27	5025 SG	174.47 /E	1	3.5	25480	12
2295 Y	13.65 /E	12	0.3	29344	27	5025 SRG	169.17 /E	1	3.6	25540	12
25048 2	2.89 /E	100	0.0	25130	54	5025 SRG GFCI	238.03 /E	1	3.9	25543	12
25494	2.89 /E	100	0.0	25140	54	5050 G	223.93 /E	1	5.5	25570	12
25777 01	3.13 /E	100	0.0	25150	54	5050 RG	229.42 /E	1	5.8	25610	12
25777 02	3.13 /E	100	0.0	25160	54	5050 SG	236.10 /E	1	5.5	25630	12
25777 03	3.13 /E	100	0.0	25170	54	5050 SRG	211.17 /E	1	5.8	25670	12
2932	16.58 /E	100	0.0	29090	30	506	406.09 /E	1	1.5	20231	17
2933	20.78 /E	100	0.0	29100	30	515C **	39.20 /E	10	0.2	29396	42
3400	347.90 /E	1	0.4	29116	53	515P **	28.02 /E	10	0.2	29395	42
3400 **	161.24 /E	1	1.0	20300	53	5213 6649	26.21 /E	1	1.1	29593	25
3421 **	312.31 /E	1	3.0	20321	53	5213 6659	31.45 /E	1	1.1	29594	25
3422 **	554.12 /E	1	3.0	20322	53	5213 6660	40.35 /E	1	1.0	27440	25
3441 **	654.83 /E	1	7.0	20323	53	5227 0001	1,255.29 /E	1	7.0	26810	14
3442 **	1,093.07 /E	1	6.0	20324	53	5227 0002 **	1,412.95 /E	1	4.0	26811	14
3461 **	957.03 /E	1	7.0	20326	53	5227 0003	1,380.83 /E	1	7.0	26812	15
3462 **	1,591.81 /E	1	7.0	20327	53	5227 0004	1,898.29 /E	1	5.0	26813	15
4005	61.83 /E	10	0.1	27600	11	5227 0005	930.45 /E	1	5.0	26814	14
4014 **	54.29 /E	1	0.5	27601	29	5227 0006	1,191.32 /E	1	4.0	26815	15
4015	60.64 /E	10	0.1	27605	11	5227 0007	1,380.83 /E	1	4.0	70550	15
4017	5.77 /E	10	0.2	27611	9	5227 0008	1,191.32 /E	1	4.0	70551	15
4018	18.84 /E	10	0.2	27612	9	5274 1743	39.87 /E	1	0.0	27841	31
41	P.O.A. /E	25	0.1	20025	51	5329 0015 **	566.77 /E	1	7.0	27025	13
4125 0001	25.06 /E	25	0.1	20500	49,54	5329 4000 **	1,122.99 /E	1	11.0	27031	13
4125 0004	25.06 /E	25	0.1	20530	49,54	5329 4001 **	596.92 /E	1	14.0	27032	13
4125 4996 (BP-14)	25.06 /E	10	0.1	30130	54	5329 4002 **	636.11 /E	1	6.0	27036	13
4125 4997 (BP-12)	25.06 /E	10	0.1	30110	54	5329 4003 **	126.62 /E	1	1.0	27038	13
4230	72.84 /E	24	0.3	29000	28	5329 4004 **	93.46 /E	1	1.0	27039	13
4231	47.76 /E	24	0.4	29001	28	5329 4010 **	1,122.99 /E	1	11.0	27033	13
4232	57.17 /E	24	0.4	29002	28	5329 4011 **	596.92 /E	1	7.0	27034	13
4233	47.76 /E	24	0.4	29003	28	5329 4012 **	636.11 /E	1	7.0	27037	13
4234	57.17 /E	24	0.4	29004	28	5329 7000 **	837.34 /E	1	12.0	27040	13
4250	134.44 /E	12	1.0	29005	28	5329 7010 **	837.34 /E	1	10.0	27050	13
4261 (Was 4260)	31.72 /E	24	1.0	29056	28	5330 0400	15.90 /E	1	0.3	27068	18
4262	36.14 /E	24	1.0	29057	28	5330 0401	11.19 /E	1	0.0	27069	18
4263	56.80 /E	24	1.1	29059	28	5330 0800	16.68 /E	1	0.6	27066	18
4264	58.09 /E	24	1.0	29060	28	5330 0818	223.73 /E	1	2.5	27065	18
4265	74.87 /E	24	1.0	29061	28	5330 0819	387.21 /E	1	4.0	27067	18
4266	34.49 /E	24	1.0	29070	28	5330 1501	21.78 /E	1	0.0	27060	18
4269	32.27 /E	24	1.0	29080	28	5330 1525 **	46.96 /E	1	3.8	27059	18
4280	63.44 /E	12	2.3	29010	28	5330 1550	351.10 /E	1	5.0	27058	18
4281	67.31 /E	12	2.3	29011	28	5330 1550 **	58.71 /E	1	6.0	27058	18
4283	89.07 /E	12	2.3	29013	28	5331 0001 **	206.66 /E	1	4.0	27070	18
4284	65.28 /E	12	2.3	29014	28	5331 0002 **	77.52 /E	1	0.8	27071	18
4285	71.00 /E	12	2.3	29015	28	5331 0003 **	318.68 /E	1	4.0	27073	20
4286	66.39 /E	12	2.3	29016	28	5331 0004 **	334.29 /E	1	1.5	27074	20
4287	88.89 /E	12	2.3	29017	28	5331 0005 **	820.49 /E	1	8.0	27075	21
4288	68.60 /E	12	2.3	29018	28	5331 0006 **	44.36 /E	1	1.0	27076	21
4289	77.45 /E	12	2.3	29019	28	5331 0007 **	342.28 /E	1	2.5	27077	21

CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE	CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE
NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT	NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT
5331 0031 **	164.83 /E	1	5.0	69161	18	7001 SRG	155.43 /E	1	1.7	26260	11
5331 0032 **	144.57 /E	1	5.0	69162	18	7002 G	120.89 /E	1	1.6	26270	11
5331 0034 **	142.92 /E	1	5.0	69164	18	7002 RG	128.55 /E	1	1.9	26280	11
5332 0818	380.73 /E	1	2.5	27086	18	7002 SG	158.18 /E	1	1.6	26290	11
5332 0825	369.35 /E	1	2.5	27085	18	7002 SRG	166.03 /E	1	1.9	26291	11
5332 1525	434.51 /E	1	2.5	27080	18	7013	9.68 /E	100	0.1	27870	33
5351 0213 **	296.23 /E	1	26.0	28410	42	7014	10.40 /E	100	0.1	27880	33
5351 0223 **	168.25 /E	1	4.5	28430	42	7019	13.93 /E	100	0.1	27890	33
5351 0253 **	189.77 /E	1	13.0	28450	42	7025 G	202.93 /E	1	3.4	26320	11
5351 0273 **	319.12 /E	1	20.0	28470	42	7025 G 38	206.07 /E	1	3.4	26330	11
5351 0413 **	208.03 /E	1	10.0	28490	42	7025 RG	207.83 /E	1	3.6	26340	11
5351 0423 **	110.83 /E	1	4.5	28510	42	7025 RIG	264.95 /E	1	3.7	26350	11
5351 0453 **	123.04 /E	1	9.0	28530	42	7025 SG	213.92 /E	1	3.4	26370	11
5351 0473 **	166.73 /E	1	11.0	28550	42	7025 SG 38	212.15 /E	1	3.6	26360	11
5351 0613 **	137.46 /E	1	9.0	28570	42	7025 SRG	158.38 /E	1	3.7	26390	11
5351 0623 **	69.41 /E	1	2.6	28590	42	7025 SRG GFCI	227.24 /E	1	3.9	26394	11
5351 0653 **	83.14 /E	1	4.5	28610	42	7050 G	254.74 /E	1	5.0	26420	11
5351 0673 **	120.25 /E	1	6.0	28630	42	7050 G 38	205.48 /E	1	5.0	26430	11
600	46.60 /E	1	1.0	29407	24	7050 RG	258.86 /E	1	5.4	26440	11
600 3	20.41 /E	1	0.9	24911	24	7050 RIG	349.53 /E	1	5.9	26450	11
600 FL22	121.93 /E	1	2.5	29600	25	7050 SG	273.58 /E	1	5.4	26470	11
601	46.59 /E	1	1.0	29408	24	7050 SG 38	227.46 /E	1	5.5	26480	11
601 FL22	121.93 /E	1	2.5	29610	25	7050 SRG	200.57 /E	1	5.8	26490	11
6012 SRG	82.23 /E	1	1.3	26020	12	71	P.O.A. /E	25	0.1	20060	51
6025 SRG	82.23 /E	1	3.0	26025	12	8133	89.96 /E	6	0.7	27488	11
6025 SRG GFCI	151.09 /E	1	3.0	26032	12	8162	42.81 /E	6	0.8	27490	11
603	48.92 /E	1	1.0	29411	24	8170	48.80 /E	6	0.8	27491	11,12
604	48.92 /E	1	1.0	29412	24	8171	35.51 /E	6	0.5	27492	11,12
605	51.40 /E	1	1.0	29417	24	8224	177.94 /E	6	0.6	27271	11,12
605 FL22	127.17 /E	1	2.5	29620	25	8335 2	97.65 /E	6	0.8	27500	11
6050 SRG	109.12 /E	1	5.0	26035	12	8336	112.65 /E	3	1.0	27505	11
606	51.40 /E	1	1.0	29418	24	8504	700.08 /E	1	12.0	26904	38
606 FL22	127.17 /E	1	2.5	29630	25	8580 **	962.32 /E	1	29.0	26905	40
610	40.10 /E	2	0.8	29419	24	8581 **	1,049.49 /E	1	33.0	26906	40
611	42.81 /E	2	0.8	29422	24	8582 **	840.06 /E	1	36.0	26907	40
6229 1	81.64 /E	1	1.8	27240	11	8583 **	985.99 /E	1	48.0	26908	40
6229 2	144.84 /E	1	3.9	27245	12	8584 **	467.75 /E	1	15.0	26909	40
640	51.26 /E	1	1.0	29540	24	8585 **	571.08 /E	1	16.0	26910	40
640 FL22	124.97 /E	1	2.0	29660	25	8590 **	183.79 /E	1	9.0	27540	40
6403	25.90 /E	6	0.5	27400	11	8592 **	306.45 /E	1	16.0	27542	40
6404 1	30.52 /E	6	0.5	27410	11	8593 **	415.69 /E	1	20.0	27543	40
641	51.26 /E	1	1.0	29541	24	8594 **	282.78 /E	1	14.0	27544	40
641 FL22	124.97 /E	1	2.0	29661	25	8595 **	367.58 /E	1	17.0	27545	40
643	53.82 /E	1	1.0	29544	24	8596 **	262.67 /E	1	13.0	27546	40
644	53.82 /E	1	1.0	29545	24	8597 **	334.45 /E	1	17.0	27547	40
645 FL22	134.97 /E	1	2.0	29665	25	8600 001	97.93 /E	1	0.2	26959	38,39
646 FL22	134.97 /E	1	2.0	29666	25	8611	238.75 /E	1	6.0	26984	38
6461	69.26 /E	6	0.5	27430	13	8624	1,681.79 /E	1	35.0	26967	38
649	55.99 /E	1	1.0	29595	24	8624 5	1,800.16 /E	1	37.0	26968	38
65 (65-MC)	4.34 /E	100	0.0	25000	51	8624 7	1,789.03 /E	1	37.0	26969	38
650	56.54 /E	1	1.0	29542	24	8628	1,966.27 /E	1	37.0	26971	38
650 FL22	124.97 /E	1	2.0	29650	25	8628 5	2,084.64 /E	1	39.0	26972	38
651	56.54 /E	1	1.0	29543	24	8628 7	2,073.51 /E	1	39.0	26973	38
651 FL22	124.97 /E	1	2.0	29651	25	8634	1,813.51 /E	1	36.0	26974	38
653	59.36 /E	1	1.0	29546	24	8638	1,892.82 /E	1	39.0	26975	38
654	59.36 /E	1	1.0	29547	24	8653	1,737.84 /E	1	36.0	26976	38
655 FL22	134.97 /E	1	2.0	29655	25	8658	1,922.57 /E	1	40.0	26977	38
656 FL22	134.97 /E	1	2.0	29656	25	8663	1,790.65 /E	1	38.0	26978	38
659	41.90 /E	1	1.0	29596	24	8667	2,001.68 /E	1	42.0	26979	38
669	41.90 /E	1	1.0	29597	24	868	44.92 /E	10	0.1	27330	38
7000 G	101.66 /E	1	1.5	26070	11	8683	1,523.61 /E	1	38.0	26991	38
7000 G 38	112.06 /E	1	1.5	26061	11	8685	1,869.76 /E	1	40.0	26992	38
7000 RG	98.72 /E	1	1.7	26110	11	8694	1,945.43 /E	1	40.0	26993	38
7000 RIG	168.39 /E	1	1.8	26100	11	87	3.08 /E	100	0.0	25020	51
7000 SG	136.20 /E	1	1.5	26140	11	8700 002	102.83 /E	1	0.3	31000	39
7000 SG 38	125.01 /E	1	1.5	26131	11	8700 003	107.97 /E	1	0.3	31010	39
7000 SRG	104.02 /E	6	1.7	26170	11	8701	2,630.33 /E	1	55.0	31020	39
7001 G	112.45 /E	1	1.5	26210	11	8702	2,953.05 /E	1	58.0	31030	39
7001 RG	118.15 /E	1	1.7	26230	11	8703	2,630.33 /E	1	60.0	31040	39
7001 SG	149.55 /E	1	1.5	26250	11	8704	2,603.21 /E	1	50.0	31050	39

CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE	CATALOGUE NUMBER	SUGGESTED TRADE PRICE	CTN QTY	WT LBS	UPC	CAT PAGE
NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT	NO DE CATALOGUE	PRIX MARCHANDS SUGGERES	EMB STD	PDS	CODE A BARRES	PAGE CAT
8705	2,522.69 /E	1	50.0	31060	39	92 0003	11.67 /E	25	0.1	21030	49
8706	2,065.21 /E	1	51.0	31070	39	9232	9.76 /E	10	0.0	27590	11
8707	2,095.56 /E	1	53.0	31080	39	9260	21.22 /E	10	0.0	27900	33
8708	2,387.93 /E	1	52.0	31090	39	93 0001	15.92 /E	10	0.1	21060	49
8709	2,387.93 /E	1	40.0	31100	39	93 0003	17.51 /E	10	0.1	21080	49
8710	2,015.03 /E	1	55.0	31110	39	93 1001	15.92 /E	10	0.1	21110	49
8711	1,984.68 /E	1	50.0	31120	39	93 1003	17.51 /E	10	0.1	21130	49
8712	2,310.44 /E	1	80.0	31130	39	93 2001	15.92 /E	10	0.1	21160	49
8713	5,771.34 /E	1	75.0	31140	39	93 2003	17.51 /E	10	0.1	21180	49
8714	6,317.84 /E	1	60.0	31150	39	93 3001	15.92 /E	10	0.1	21210	49
8715	3,745.38 /E	1	114.0	31160	39	93 3003	17.51 /E	10	0.1	21230	49
8716	3,967.55 /E	1	116.0	31170	39	93 4001	15.92 /E	10	0.1	21260	49
8717	4,633.83 /E	1	118.0	31180	39	93 4003	17.51 /E	10	0.1	21280	49
8718	5,358.18 /E	1	120.0	31190	39	9995	21.21 /E	25	0.0	29099	30
8719	6,300.04 /E	1	85.0	31200	39	DB 1006	287.70 /E	1	3.0	30220	54,56
8720	6,976.84 /E	1	85.0	31210	39	DP 2001	1,142.94 /E	1	12.0	30229	54
8721	5,526.92 /E	1	50.0	31220	39	DP 2002	1,494.68 /E	1	10.0	30230	54
8722	3,914.13 /E	1	123.0	31230	39	GMP400BUPS	91.56 /E	1	1.0	00080	6
8723	4,109.58 /E	1	125.0	31240	39	M175	2.79 /E	100	0.0	28861	28
8724	4,918.31 /E	1	108.0	31250	39	M176	4.84 /E	100	0.0	28862	28
8725	6,268.88 /E	1	78.0	31260	39	M180	5.40 /E	100	0.0	28863	28
8726	6,300.04 /E	1	52.0	31270	39	M8300 001	53.62 /E	1	0.2	31701	37
8727	5,309.21 /E	1	120.0	31280	39	M8310	308.76 /E	1	2.0	31705	37
8728	5,629.10 /E	1	115.0	31290	39	M8320	250.69 /E	1	1.7	31708	37
8729	4,096.43 /E	1	124.0	31300	39	M8340	997.34 /E	1	21.0	31710	37
8730	4,198.61 /E	1	128.0	31310	39	M8341	997.34 /E	1	21.0	31711	37
8732	5,638.21 /E	1	110.0	31330	39	M8343	1,054.44 /E	1	22.0	31713	37
8733	4,430.48 /E	1	127.0	31340	39	M8345	1,062.77 /E	1	22.0	31715	37
8734	4,340.85 /E	1	68.0	31350	39	M8347	1,062.76 /E	1	22.0	31717	37
8735	4,638.48 /E	1	85.0	31360	39	M8361	960.40 /E	1	21.0	31741	37
8736	5,407.14 /E	1	52.0	31370	39	M8366	1,012.11 /E	1	22.0	31746	37
8737	5,522.47 /E	1	115.0	31380	39	M8368	1,152.48 /E	1	22.0	31748	37
8738	3,931.93 /E	1	98.0	31390	39	M8441	997.34 /E	1	21.0	31721	37
8739	4,576.16 /E	1	127.0	31400	39	PF150L12 **	P.O.A. /E	1	17.0	70525	7
8740	4,807.23 /E	1	130.0	31410	39	PF150L12H **	P.O.A. /E	1	17.0	70524	7
8741	4,349.75 /E	1	128.0	31420	39	PF175H12 **	P.O.A. /E	1	17.0	70523	7
8742	5,171.63 /E	1	145.0	31430	39	TL40HMT	P.O.A. /E	1	22.0	70680	6
8743	5,593.69 /E	1	158.0	31440	39	TL40HMT C	P.O.A. /E	1	22.0	70674	6
8744	4,180.80 /E	1	125.0	31450	39	TL40HMTP	P.O.A. /E	1	22.0	70681	6
8745	4,744.91 /E	1	145.0	31460	39	TL40HMTPC	P.O.A. /E	1	22.0	70675	6
8746	4,998.23 /E	1	128.0	31470	39	TL40HMTPW	P.O.A. /E	1	22.0	70679	6
8747	5,202.59 /E	1	143.0	31480	39	TL40HMTW	P.O.A. /E	1	22.0	70878	6
8800	442.70 /E	1	8.0	31620	36	TL40PMT0	414.95 /E	1	22.0	00079	6
8805	513.52 /E	1	10.0	31625	36	TL40PMT C	P.O.A. /E	1	22.0	70676	6
8807	527.68 /E	1	10.0	31627	36	TL40PMTPC	P.O.A. /E	1	22.0	70677	6
8810	434.61 /E	1	9.0	31630	36	TLGUARDN	P.O.A. /E	1	4.5	00053	6
8815	501.38 /E	1	10.0	31635	36	TLGUARDW	34.38 /E	1	4.0	00076	6
8816	479.93 /E	1	10.0	31636	36	TLTRAPW	6.25 /E	1	4.0	00077	6
8817	528.90 /E	1	10.0	31637	36	V 1433	55.77 /E	12	0.4	28905	30
8840	701.69 /E	1	12.0	31650	36	V 1434	65.68 /E	4	0.8	28925	30
8841	616.91 /E	1	12.0	31660	36						
8842	622.98 /E	1	14.0	31670	36						
8844	774.53 /E	1	15.0	31690	36						
8850	560.87 /E	1	8.0	31621	36						
8851	544.07 /E	1	8.0	31631	36						
8852	711.20 /E	1	8.0	31626	36						
8853	694.41 /E	1	8.0	31638	36						
8854	555.87 /E	1	8.0	31639	36						
8855	711.20 /E	1	8.0	31628	36						
8856	694.41 /E	1	8.0	31640	36						
8857	752.27 /E	1	8.0	31661	36						
8858	828.35 /E	1	14.0	31671	36						
8859	817.22 /E	1	14.0	31691	36						
8950	78.48 /E	3	0.8	27550	11						
8959	60.16 /E	1	0.8	27580	11						
90 0001	10.61 /E	25	0.1	20910	49						
90 0003	11.67 /E	25	0.1	20930	49						
91 0001	10.61 /E	25	0.1	20960	49						
91 0003	11.67 /E	25	0.1	20980	49						
92 0001	10.61 /E	25	0.1	21010	49						







# OFFICES FROM COAST TO COAST

*McGill sales representation: Representatives are located throughout Canada to assist you with over 18,000 products for the electrical industry.*

	TELEPHONE	FAX
<b>British Columbia</b> Hallwood Milham Technologies Delta BC.	604-526-4288	604-526-1850
<b>Manitoba</b> Isted Technical Sales Ltd. Winnipeg	204-779-5747	204-779-7307
<b>Newfoundland, New Brunswick, Nova Scotia &amp; P.E.I.</b> Dennis Cummings Lance, NS	902-883-7918	902-883-7698
<b>Ontario</b> Intralec Electrical Products Mississauga	905-670-0970	905-670-3098
<b>Quebec</b> Désormeaux Dowd Ltée Montreal Quebec QC	514-769-9336 418-627-5465	514-769-9108 418-627-1771
<b>Saskatchewan</b> Isted Technical Sales Ltd. Regina Saskatoon	306-586-0783 306-242-4641	306-586-5014 306-242-0709

**McGILL**

99 Union Street, Elmira ON N3B 3L7  
Tel: 519-669-9222  
Fax: 519-669-6389

  
**EMERSON**  
Industrial Automation

e-mail: [info@egscanada.com](mailto:info@egscanada.com)

Website: [www.egscanada.com](http://www.egscanada.com)